PTOSBED 111.00

U.S. Patent and Tracture for any account 11.002.005. OAB 0051.005

U.S. Patent and Tracture for the U.S. DEPARTMENT OF CONMERCE

POWER OF ATTORNEY TO PROSPECT OF COMMERCE

POWER OF ATTORNEY TO PROSPECT OF THE PROSPECT OF T POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO I hereby revoke all previous powers of attorney given in the application identified in the attached statement under Precisioners associated with the Customer Number: 24738 Practitioner(d) named below (if more than ion patent practitioners are to be named, then a euclomer number sturt be used): Registration Name Registration se silomer(e) or specific) to represent the underetimed before the United States Patent and Trademark Office (USPTO) in connection with sary and at patent applications exertined grift to the understand according to the USPTO assignment records or specific ment documents attached to this form in accordance with 37 CFR. 2.73(b). Picase change the convergendence address for the application identified in the attached statement under 37 CFR \$.73(b) to: The address associated with Customer Marther: OR 24738 QY Country Telephone Absignee Name and Address: KONINKLIJKE PHILIPS ELECTRONICS N.V. Groenewoudseweg 1 5621 BA Eindhoven, The Netherlands A copy of this form, together with a statement under 37 CFR 3.73[b] (Form PTO/3B/96 or equivalent) is required to be filed in each application in which this form is used. The statement under 37 CFR 3.73[b] may be completed by one of and must kientify the application in which this Power of Attorney is to be filed. SIGNATURE of Aceignee of Record sisting and ade is supplied below is authorized to act on behalf of the assignoe **Elimature** Michael E. Marion Date 02 FEB 2005 Title Authorized Representative

This extinction of brometion is regard by IV CPR 131, 132 and 133. The information is required to obtain a retain a benefit by the poster which is to the land by the LESTO by proceed an application. Consideratify is severated by 10 CPR 1.11 and 1.11. This collection is estimated to the 3 mixture of the amount of the server of the completed application from 10 CPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the amount of these part require to completed application from 10 CPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the amount of these part require to complete the form another suppressions for sealing the formation of the 11 CPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the amount of the 11 CPR 1.11 and 1.11. This collection is estimated to the 3 mixture comments on the amount of the 11 CPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the amount of the 11 CPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the amount of the 11 CPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the 11 cPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the 11 cPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the 11 cPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the 11 cPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the 11 cPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the 11 cPR 1.11 and 1.11. This collection is estimated to take 3 mixture comments on the 11 cPR 1.11 and 1.11. This collection is estimated to 11 cPR 1.11 and 1.11. This collection is estimated to 11 cPR 1.11 and 1.11. This collection is estimated to 11 cPR 1.11 and 1.11. This collection is estimated to 11 cPR 1.11 and 1.11. This collection is estimated to 11 cPR 1.11 and 1.11. This collection is estimated to 11 cPR 1.11 and 1.11. This collection is

Kyou nood essistance in completing the form, cell 1-800-PTO-9199 and eclock option 2.